

PERFORMANCE BULLETIN

Engine: Yamaha F300XCA

Boat: Nautic Star 251 Hybrid


Configuration: *Single* **Test Date:** *3-Oct-2018*



PERFORMANCE DATA

RPM	МРН	GPH	MPG
1000	5.6	1.2	4.67
1500	8.2	2.1	3.90
2000	9.9	3.5	2.83
2500	16.0	4.7	3.40
3000	24.0	6.4	3.78
3500	30.1	8.2	3.67
4000	35.6	11.2	3.18
4500	40.2	14.9	2.69
5000	44.6	18.4	2.42
5500	49.2	24.2	2.04
6000	52.5	26.1	2.01

Time to Plane: 3.81 seconds 0-30 MPH: 5.50 seconds



NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.



NAUTIC STAR 251 HYBRID

25' 2"
8' 6"
,650 lbs
350 hp
75 gal
,174 lbs

F300XCA

Horsepower	300 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	562 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position #2
Ventilation Plate Height 1" Above Boat Bottom

PROPELLER(S)

SeriesSaltwater Series II"Diameter x Pitch15-1/4 x 18Yamaha Part #6CE-45934-20-00Propeller MaterialPolished Stainless Steel

TEST CONDITIONS

Number of People 2
Air / Water Temperature 87° F / 80° F
(Fahrenheit)
Elevation (in feet above sea level) 235'
Wind Velocity 0-5 MPH

COMMENTS

Test weight includes 2 people, 1/2 tank of fuel, 2 Group 27 batteries, aluminum frame fiberglass T-top, safety and test gear.

YPB#: PB_NST_251Hybrid_F300XCA_10-03-2018_OCC

Boat Manufactured By:

Nautic Star P.O. Box 26 • Amory, MS 38821 (662) 256-5636

www.nauticstarboats.com

(http://www.nauticstarboats.com)

